



TECHNICAL SHEET

OVEN GLOVES SILITHERM COOK

S2XKS/25

5-finger glove made with para-aramid fabric with silicone coating 490 g/sqm (± 40). Internal reinforcement on palm and fingers with a special fireproof insulation (MTP), thickness mm 5, combined with a breathable membrane. Cuff made with para-aramid fabric with silicone coating 490 g/sqm (± 40). Fully lined with cotton fabric. All seams are Kevlar 50/3 sewn.

Loop for an easy storage.

SIZE: 8 – 9 – 10 - 11

LENGHT: 43 cm



BEST PROTECTION

FOR FOOD:



EN 388:2016+A1:2018

Protective gloves against mechanical risks

Abrasion resistance	2
Cut resistance	2
Tear strength	4
Puncture resistance	1
Cut resistance TDM	A

Dexterity 5



EN 407:2004

Protective gloves against thermal risks

Flammability	4
Contact heat	3
Convective heat	X
Radiant heat	X
Little splashes of molten metals	X
Large amounts of molten metals	X



SUITABLE FOR CONTACT WITH FOOD

PPE CATEGORY: III



TECHNICAL SHEET

OVEN GLOVES SILITHERM COOK

C2XKS/25

3-finger glove made with para-aramid fabric with silicone coating 490 g/sqm (± 40). Internal reinforcement on palm and fingers with a special fireproof insulation (MTP), thickness mm 5, combined with a breathable membrane. Cuff made with para-aramid fabric with silicone coating 490 g/sqm (± 40). Fully lined with cotton fabric. All seams are Kevlar 50/3 sewn.

Loop for an easy storage.

SIZE: 8 – 9 – 10 - 11

LENGHT: 43 cm

info@covalsafety.com

COVALSAFETY.COM



BEST PROTECTION

FOR FOOD:



EN 388:2016+A1:2018

Protective gloves against mechanical risks

Abrasion resistance	2
Cut resistance	2
Tear strength	4
Puncture resistance	1
Cut resistance TDM	A



EN 407:2004

Protective gloves against thermal risks

Flammability	4
Contact heat	3
Convective heat	X
Radiant heat	X
Little splashes of molten metals	X
Large amounts of molten metals	X



SUITABLE FOR CONTACT WITH FOOD

PPE CATEGORY: III



TECHNICAL SHEET

OVEN GLOVES SILITHERM COOK
F2XKS/25

Ambidextrous 2-finger glove made with para-aramid fabric with silicone coating 490 g/sqm (± 40). Internal reinforcement on palm and fingers with a special fireproof insulation (MTP), thickness mm 5, combined with a breathable membrane. Cuff made with para-aramid fabric with silicone coating 490 g/sqm (± 40). Fully lined with cotton fabric. All seams are Kevlar 50/3 sewn.

Loop for an easy storage.

SIZE: 8 – 9 – 10 - 11

LENGHT: 43 cm

Rev. 00

info@covalsafety.com
COVALSAFETY.COM



BEST PROTECTION

FOR FOOD:



EN 388:2016+A1:2018

Protective gloves against mechanical risks

Abrasion resistance	2
Cut resistance	2
Tear strength	4
Puncture resistance	1
Cut resistance TDM	A



EN 407:2004

Protective gloves against thermal risks

Flammability	4
Contact heat	3
Convective heat	X
Radiant heat	X
Little splashes of molten metals	X
Large amounts of molten metals	X



SUITABLE FOR CONTACT WITH FOOD

PPE CATEGORY: III

SILITHERM COOK

S2XKS-25, C2XKS-25, F2XKS-25

EU DECLARATION OF CONFORMITY:

Manufacturer, **IDEE COCCO ITALIA srl - Via Spinino 11/1 - 36050 Montorso Vicentino (VI)**

declares under his sole responsibility that the following personal protective equipment (PPE) is in conformity with the safety and health requirements of the EU Regulation 2016/425 Annex II and with harmonized standards listed below, and declares that it is identical to PPE object of the UE Certification (Module B) issued by the Notified Body ANCI SERVIZI Srl n° 0465 a socio unico section CIMAC.

Code and name of product	Description	Reference standard	Notified Body	Certificate n°
S2XKS-25	Coated para-aramid glove	EN 407:2004 EN 388:2016+A1:2018	0465	G-166-05630-22
C2XKS-25	Coated para-aramid glove	EN 407:2004 EN 388:2016+A1:2018	0465	G-166-05628-22
S2XKS-25	Coated para-aramid glove	EN 407:2004 EN 388:2016+A1:2018	0465	G-166-05629-22

The present PPE is subject to the conformity to type based on internal production control plus supervised product checks at random intervals (Module C2) under the supervision of the Notified Body ANCI SERVIZI Srl n° 0465 a socio unico section CIMAC.

Montorso Vicentino, 21.10.2022
The legal representative
Valentino Cocco



COVAL SAFETY

IDEE COCCO ITALIA Srl
Via Spinino 11/1
36050 Montorso VI Italy
T. +39 0444 685220
info@covalsafety.com

Capitale sociale 40.000,00 i.v.
M/VI 016050
Cod.Fisc. e P.Iva IT00525590246
Iscr. REA VI 134781 AIA 0039197
Registro imprese 131094/1997



SILITHERM COOK S2XKS-25, C2XKS-25, F2XKS-25

DECLARATION OF CONFORMITY FOR FOOD CONTACT

Manufacturer, **IDEE COCCO ITALIA srl - Via Spinino 11/1 - 36050 Montorso Vicentino (VI)** declares that:

The glove **item Silitherm Cook art. S2XKS-25, C2XKS-25, F2XKS-25** is in conformity with the following provisions

- EC Regulation N°1935/2004 for materials and articles intended to come in contact with foodstuffs.
- EU Regulation N°10/2011 concerning plastic materials and objects intended to come into contact with food.
- Italy: Decreto Ministeriale 21/03/1973 disciplina igienica degli imballaggi, recipienti, utensili, destinati a venire in contatto con le sostanze alimentari o con sostanze d'uso personale.

The above-mentioned apron is manufactured with the following materials: please consult related technical data sheet. In particular, the material with possible contact with food is the silicone coated para-aramid fabric.

The glove **item Silitherm Cook art. S2XKS-25, C2XKS-25, F2XKS-25** does not contain any substances subject to restrictions in the above-mentioned legislation and respects the global migration limits (10 mg/dm²) and specific migration limits (60 mg/kg) under the following conditions:

Contact conditions: 2 hours at 70°C

Food simulant A - ethanol 10%	4.0 mg/dm ²
Food simulant B - acetic acid 3%	0.4 mg/dm ²
Food simulant D2/4 - vegetable oil	<0.1 mg/dm ²
Primary aromatic amines	<0.01 mg/kg
Ammonium nitrogen	<1 mg/kg
Alluminium	0.2 mg/kg
Antimony	<0.04 mg/kg
Arsenic	<0.01 mg/kg
Barium	<0.1 mg/kg
Cadmium	<0.001 mg/kg
Calcium	4.4 mg/kg
Cobalt	<0.01 mg/kg
Chromium soluble	<0.01 mg/kg
Hexavalent Chromium	<0.01 mg/kg
Europium	<0.01 mg/kg
Iron	<1.0 mg/kg
Gadolinium	<0.01 mg/kg

Lantanium	<0.01 mg/kg
Lithium	<0.1 mg/kg
Magnesium	1.0 mg/kg
Manganese	<0.1 mg/kg
Mercury	<0.002 mg/kg
Nickel	<0.01 mg/kg
Lead	<0.02 mg/kg
Kalium	<0.1 mg/kg
Copper	<0.1 mg/kg
Natrium	11.8 mg/kg
Terbium	<0.01 mg/kg
Zinc	<0.1 mg/kg

For the specific tests refer to: Test Report N°22LA01094 - Dedalo srl Laboratorio di Ricerche ed Anlisi.

CONCLUSION: If used properly, the fabric may come in contact with water foods, weakly acidic and fat simulants.

Montorso, 20.04.2022
 The legal representative
 Valentino Cocco



IDEE COCCO ITALIA S.R.L.
 Capitale Sociale € 40.000,00
 Via Spinino, 11/1 - Fax 0444 685009
 Tel. 0444 484003 - 685220
 38050 MONTORSO VIC. (VI)
 Partita I.V.A. 00525590246